

INDEX MAPS.

T. 13N, R. 6E. 2nd Mer.

| | 221-224 | 221-224 | 221-224 | 222-223 | 222-223 | 222 | | | | | | |
|-----|---------|---------|---------|---------|---------|-----|----|-----|----|-----|----|-----|
| 226 | 6 | 246 | 5 | 241 | 4 | 238 | 3 | 234 | 2 | 230 | 1 | 221 |
| | 245 | 246 | 241 | 237 | 234 | 230 | | | | | | |
| 226 | 7 | 246 | 8 | 241 | 9 | 237 | 10 | 233 | 11 | 229 | 12 | 220 |
| | 246 | 245 | 240 | 237 | 233 | 229 | | | | | | |
| 225 | 18 | 245 | 17 | 240 | 16 | 236 | 15 | 233 | 14 | 229 | 13 | 220 |
| | 244 | 244 | 240 | 236 | 232 | 228 | | | | | | |
| 226 | 19 | 244 | 20 | 239 | 21 | 236 | 22 | 232 | 23 | 228 | 24 | 220 |
| | 243 | 243 | 239 | 235 | 232 | 228 | | | | | | |
| 225 | 30 | 243 | 29 | 239 | 28 | 235 | 27 | 231 | 26 | 227 | 25 | 219 |
| | 242 | 242 | 238 | 235 | 231 | 227 | | | | | | |
| 225 | 31 | 242 | 32 | 238 | 33 | 234 | 34 | 230 | 35 | 227 | 36 | 219 |
| | 218 | 218 | 218 | 217 | 217 | 217 | | | | | | |

T. 14N, R. 6E. 2nd Mer.

| | 254 | 254 | 254 | 253 | 253 | 253 | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|----|-----|----|-----|----|-----|
| 256 | 6 | 278 | 5 | 274 | 4 | 269 | 3 | 265 | 2 | 261 | 1 | 253 |
| | 280 | 277 | 278 | 269 | 265 | 260 | | | | | | |
| 256 | 7 | 277 | 8 | 273 | 9 | 269 | 10 | 264 | 11 | 260 | 12 | 252 |
| | 279 | 277 | 272 | 268 | 264 | 260 | | | | | | |
| 256 | 18 | 276 | 17 | 272 | 16 | 268 | 15 | 264 | 14 | 259 | 13 | 252 |
| | 279 | 276 | 272 | 267 | 263 | 259 | | | | | | |
| 255 | 19 | 275 | 20 | 271 | 21 | 267 | 22 | 263 | 23 | 258 | 24 | 252 |
| | 279 | 275 | 271 | 267 | 262 | 258 | | | | | | |
| 255 | 30 | 275 | 29 | 271 | 28 | 266 | 27 | 262 | 26 | 258 | 25 | 251 |
| | 278 | 274 | 270 | 266 | 261 | 257 | | | | | | |
| 255 | 31 | 274 | 32 | 270 | 33 | 265 | 34 | 261 | 35 | 257 | 36 | 251 |
| | 250 | 250 | 250 | 249 | 249 | 249 | | | | | | |

The figures on the lines refer to the page.

249

Township N. 14. North, Range N. 6 East 2. Mer. Ind.

Township Lines.

South Boundary, Var. 6° 46' E.

West on the S. Boundary of Sec. 36

6.50 a Creek 75 lbs. wide course S 4 W

17.10 a Beech 18 in. dia.

40.00 set of sec. post from which

a Beech 9 in. dia. bears S 63 E 6 lbs. dist. 3

a Cherry 21 " " " N 60 W 9 " "

57.00 a Branch 4 lbs. wide course S 4 W

66.54 a Maple 12 in. dia.

72.50 a Branch 4 lbs. wide course S

80.00 set post cor. of sec. 35 & 36 from which

a Beech 14 in. dia. bears N 42 E 14 lbs. dist. 3

a Do 10 " " " S 58 1/2 W 34 " "

Level land, rich soil, timbered Beech, Ash, Sugar & Upr. Spruce

West on the S. Boundary of Sec. 35

15.50 a Beech 20 in. dia.

40.00 set of sec. post from which

an Ash 30 in. dia. bears S 68 W 14 lbs. dist. 3

a Water Beech 6 " " " N 52 E 18 " "

52.45 a Beech 30 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 10 in. dia. bears N 63 E 28 lbs. dist. 3

an Elm 15 " " " S 33 W 10 " "

Level land, soil good, timbered Beech, Ash, Elm & Upr. Spruce, Green Pines &c

West on the S. Boundary of Sec. 34

11.55 a Hackberry 27 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 47 1/2 W 6 lbs. dist. 3

a Do 18 " " " S 53 E 8 " "

T. 13 N., R. 6 E. 2^d Mer. Ind.^a

64.20 a Gum 30 in. dia.

80.00 set post cor. of sec. 33 & 34 from which
a Beech 10 in. dia. bears N 3 E 24 lbs. dist. 8

a As 15 " " " S 11 E 23 " "

Level land, soil good rather wet, timber Beech,
Hackberry, Cherry & Upr. Spruce, Beech &

West on the S. Boundary of Sec. 33

15.00 a Creek 40 lbs. wide course S W

20.80 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 7 in. dia. bears N 33 W 25 lbs. dist. 8

a As 27 " " " S 53 E 9 " "

64.80 a R. Oak 36 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 12 in. dia. bears N 58 E 18 lbs. dist. 8

a As 15 " " " S 11 E 15 " "

Level land, timber Beech, Sugar, Oak, Ash & Upr.
Spruce, Green Beech & good soil

West on the S. Boundary of Sec. 32

16.20 an Ash 24 in. dia.

40.00 set g. sec. post from which

a Beech 13 in. dia. bears S 39 E 7 lbs. dist. 8

a W. Oak 40 " " " N 58 W 26 " "

64.40 a Hickory 18 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 9 in. dia. bears N 64 E 22 lbs. dist. 8

a As 15 " " " S 66 W 20 " "

Level land, timber as before noted, soil good

West on the S. Boundary of Sec. 31

20.53 a W. Oak 36 in. dia.

40.00 set g. sec. post from which

T. 13 N., R. 6 E. 2. Mer. Ind.^a

a Beech 14 in. diameter S 70 E 15 lbs. dist. 3
 and Ironw. 6 " " " N 49 W 21 " "
 80.45 to Township corner. July 28. 1819

East Boundary. Var. 6. 45. E.

Bearings at cor. of T. 13 & 14 N., R. 6 & 7 E.
 a Beech 9 in. diameter S 25 E 7 lbs. dist. 3
 a Do 27 " " " N 45 W 12 " "
 North on the E. Boundary of Sec. 36
 2.00 a Creek 70 lbs. wide course S W
 15.00 Do 70 " " " S E
 20.62 a Beech 20 in. dia.
 40.00 Set of sec. post from which
 a Spruce 18 in. diameter S 58 E 10 lbs. dist. 3
 an Oak 12 " " " N 23 W 8 " "
 42.20 a Creek 70 lbs. wide course S W
 64.26 a Beech 18 in. dia.
 80.00 Set post cor. of Sec. 25 & 36 from which
 a Beech 12 in. diameter S 40 W 34 lbs. dist. 3
 an Ash 13 " " " N 2 E 19 " "
 Over good farming land, timbered Beech, Sugar, Ash &c.

North on the E. Boundary of Sec. 25

19.36 an Ash 30 in. dia.
 40.00 Set of sec. post from which
 a Beech 9 in. diameter N 44 W 6 lbs. dist. 3
 a Poplar 40 " " " S 21 W 11 " "
 56.30 an Elm 24 " "
 80.00 Set post cor. of Sec. 24 & 25 from which
 a Hickory 13 in. diameter S 27 W 21 lbs. dist. 3
 an Elm 16 " " " N 50 E 4 " "
 Over good farming land, timbered Beech, Ash &c.
 Upr. Spruce

T. 14 N., R. 6 E. 2^d Mer. Ind.^a

North on the E. Boundary of Sec. 24

8.70 a Beech 14 in. dia.

40.00 set of sec. post from which

a Beech 10 in. diameter S 61° W 8 lbs. dist. 3

a — 6 " " " N 19° E 16 " "

55.12 an Ash 30 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 12 in. diameter S 6° E 40 lbs. dist. 23

a Hickory 14 " " " N 6° E 23 " "

Over level land, timber Beech, Ash, Elm & V.
Upr. Spice &

North on the E. Boundary of Sec. 13

40.00 set of sec. post from which

an Oak 30 in. diameter S 6° E 20 lbs. dist. 23

a As 30 " " " N 28° E 17 " "

72.08 a Beech 24 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 14 in. diameter S 64° W 11 lbs. dist. 23

a As 22 " " " N 49° E 28 " "

Over good farming land, timber Oak, Ash, Sugar
& V. Upr. Spice

North on the E. Boundary of Sec. 12

23.42 a Beech 10 in. dia.

40.00 set of sec. post from which

a Beech 9 in. diameter S 21° E 5 lbs. dist. 3

a As 13 " " " N 45° W 15 " "

49.32 a As 18 " "

80.00 set post cor. of sec. 11 & 12 from which

a Beech 12 in. diameter S 47° E 33 lbs. dist. 3

an Ash 18 " " " N 85° W 16 " "

Over level land, timber Elm, Ash, Beech & Spice

(T. 14 N., R. 6 E., 2^d Mer. Ind.^a)

North on the E. Boundary of Sec. 1

22.90 an Elm 10 in. dia.

40.00 set g. sec. part from which

a Beech 12 in. dia. leans N 71 E 32 lbs. dist. 8

a Do 10 " " " N 82 W 18 " "

79.16 set part cor. of T. 14 & 15 N, R. 6 & 7 E. from which

an Ash 15 in. dia. leans — 8 E 18 lbs. dist. 8

a Do 12 " " " S 47 W 26 " "

Over good farming land, timber Ash, Oak &c.

(North Boundary.

West on the S. Boundary of Sec. 36, T. 15 N, R. 6 E

27.00 an Oak 24 in. dia.

40.00 set g. sec. part from which

a Beech 12 in. dia. leans S 80 W 16 lbs. dist. 8

a Do 7 " " " N 62 E 16 " "

57.10 a Lycamore 48 " "

80.00 set part cor. of sec. 35 & 36 from which

an Oak 18 in. dia. leans S 27 E 3 lbs. dist. 8

an Ash 12 " " " S 85 W 19 " "

Over good farming land, timber Beech, Ash, & Spice

West on the S. Boundary of Sec. 35, T. 15 N, R. 6 E

37.50 a Brook 15 lbs. wide course S W

40.00 set g. sec. part from which

a Sugar 13 in. dia. leans N 39 W 3 lbs. dist. 8

a Beech 12 " " " N 54 E 10 " "

44.28 a Do 14 " "

80.00 set part cor. of sec. 34 & 35 from which

an Ash 8 in. dia. leans S 89 E 23 lbs. dist. 8

a Hickory 7 " " " S 48 W 4 " "

Over wet land, timber Ash, Elm &c.

West on the S. Boundary of Sec. 34, T. 15 N, R. 6 E

T. 14 N., R. 6 E. S. Mer. Ind. a

22.00 an Oak 48 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 81 E 28 Ms. dist. 8

a Do 8 " " " S 81 W 24 " "

54.35 a Do 24 " "

80.00 set post cor. of sec. 33 & 34 from which

a Beech 10 in. dia. bears S 86 E 31 Ms. dist. 8

a Do 8 " " " S 88 W 23 " "

Over wet land, timber Elm, Oak, Hickory; Under Swamp Willow

West on the S. Boundary of Sec. 33, T. 15 N., R. 6 E

24.00 a Creek 50 Ms. wide course S

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 77 E 23 Ms. dist. 8

a Do 14 " " " S 82 W 10 " "

44.30 a Brook 7 Ms. wide course S

53.17 an Oak 13 in. dia.

80.00 set post cor. of sec. 32 & 33 from which

an Oak 48 in. dia. bears N 82 E 20 Ms. dist. 8

a Beech 8 " " " S 26 W 7 " "

Over level land, timber Oak, Beech &c.
July 28. 1819

West on the S. Boundary of Sec. 32, T. 15 N., R. 6 E

40.00 set of sec. post from which

a — 18 in. dia. bears S 38 E 5 Ms. dist. 8

all Hickory 16 " " " N 58 W 24 " "

77.50 a Creek 100 Ms. wide course S W

80.00 set post cor. of sec. 31 & 32 from which

a Lycamore 24 in. dia. bears N 15 E 21 Ms. dist. 8

a Do 28 " " " S 10 E 25 " "

Over brushy land, timber Beech, Ash &c.

West on the S. Boundary of Sec. 31, T. 15 N., R. 6 E

T. 14 N., R. 6 E., S. 1 Mer. Ind.

24.67 an Oak 30 in. dia.

40.00 set g. sec. post from which
an Ash 28 in. dia. bears S 60° E 30 Ms. dist. 8
a Do 14 " " " N 36° W 12 " "

60.50 a Walnut 24 " "

80.00 Intersect W. Boundary at Township corner.
(Description of land &c. omitted.)
July 29. 1869

West Boundary, Var. 6° 00' E.

Bearings at cor. of T. 13 & 14 N., R. 5 & 6 E.

a Beech 9 in. dia. bears S 61° 1/2° W 30 Ms. dist. 8

an Elm 6 " " " N 36° E 17 " "

North on the E. Boundary of Sec. 36, T 14 N., R 5 E

40.00 set g. sec. post from which

a Beech 14 in. dia. bears N 25° W 38 Ms. dist. 8

a Do 18 " " " S 12° E 18 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 14 in. dia. bears S 44° E 13 Ms. dist. 8

a Do 13 " " " N 45° W 29 " "

Over level land, timber Beech, Oak &c.

North on the E. Boundary of Sec. 25, T 14 N., R 5 E

40.00 set g. sec. post from which

a Beech 10 in. dia. bears S 69° E 14 Ms. dist. 8

a Do 14 " " " N 38° E 21 " "

80.00 set post cor. of sec. 24 & 25 from which

a Beech 14 in. dia. bears N 62° W 19 Ms. dist. 8

a Sugar 6 " " " S 22° E 25 " "

Over level land, timber Beech, Oak, Wye, Spice

North on the E. Boundary of Sec. 24, T 14 N., R 5 E

39.00 a Brook 2 W. wide course SW

40.00 set g. sec. post from which

T. 14 N., R. 6 E. T. Mer. Ind. a

a Beech 15 in. dia. leans S 33 E 31 lbs. dit. 8
 a Do 8 " " " N 28 W 20 " "
 56.80 an Ash 16 " "
 80.00 set part cor. of sec. 13 & 24 from which
 a Beech 16 in. dia. leans S 25 W 21 lbs. dit. 8
 a Do 1 " " " N 57 E 20 " "
 Over rolling land, timber Beech, Ash, Oak &
 Upr. Spice

North on the E. Boundary of Sec. 13, T. 14 N., R. 5 E.

40.00 set q. sec. part from which
 a Beech 13 in. dia. leans S — W 12 lbs. dit. 8
 an Elm 36 " " " S 63 E 14 " "
 46.40 a Creek 10 lbs. wide course S W
 50.10 a Hackberry 14 in. dia.
 80.00 set part cor. of sec. 12 & 13 from which
 a Sugar 15 in. dia. leans S 77 E 10 lbs. dit. 8
 a Beech 20 " " " S 43 W 29 " "
 Over good farming land, timber Beech, Sugar,
 Ash & Upr. Spice

North on the E. Boundary of Sec. 12, T. 14 N., R. 5 E

16.90 a Beech 18 in. dia.
 40.00 set q. sec. part from which
 a Sugar 18 in. dia. leans North 14 lbs. dit. 8
 a Beech 10 " " " N 76 W 64 " "
 52.05 a Do 16 " "
 80.00 set part cor. of sec. 11 & 12 from which
 a Beech 9 in. dia. leans S 20 W 20 lbs. dit. 8
 a Do 15 " " " N 70 E 9 " "
 Over level land, timber Beech, Ash, Sugar
 & Upr. Spice, Briars

North on the E. Boundary of Sec. 1, T. 14 N., R. 5 E

T. H. N., R. C. E. L. Mer. Ind. a

40.00 set g. sec. port from which

a Sugar 12 in. dia. bears S 17° W 12 Ms. dist. 8

a Beech 12 " " " N 29° W 6 " "

80.00 set port cor. of T. H. N. 15 N, R. C. E. 6 E. from which

a Beech 12 in. dia. bears N 11° E 12 Ms. dist. 8

a Do 20 " " " S 35° W 22 " "

Over level land, timber Beech, Hickory &

Upr. Spice July 30. 1819

Surveyed by John M. Donald
Dep. Surveyor.

Subdivision. Var. 6° 45' E

North between Sec. 35 & 36, T. H. N., R. C. E.

12.00 a Beech 16 in. dia.

40.00 set g. sec. port from which

a Beech 18 in. dia. bears N 60° E 35 Ms. dist. 8

a Do 6 " " " S 55° W 30 " "

68.50 a Do 9 " "

80.00 set port cor. of sec. 25, 26, 35 & 36 from which

a Sugar 7 in. dia. bears East 12 Ms. dist. 8

a Do 5 " " " N 80° W 10 " "

Land level & rate, timber Beech, Ash, Sugar
Oak, Elm & Upr. Spice

East on Random between Sec. 25 & 36

40.00 set temp. g. sec. port

81.88 Intersect E. Boundary at port -

Land level & rate, timber Beech, Ash principally
Upr. Spice.

West located between Sec. 25 & 36

23.00 a Beech 12 in. dia.

40.94 set g. sec. port at aver. dist. from which

a Beech 18 in. dia. bears N 85° W 25 Ms. dist. 8

T. 14 N., R. 6 E. 2^d. Mer. Ind.^a

a Beech 5 in. diameter N 80 E 22 lbs. dist,
 62.80 a Sugar 12 " "
 81.88 to sec. cor.

North between Sec. 25 & 26

18.00 an Ark 30 in. dia.
 40.00 set g. sec. post from which
 a Beech 20 in. diameter N 10 E 15 lbs. dist. &
 a Do 9 " " " S 15 W 18 " "
 59.00 a Do 16 " "
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which
 a Beech 14 in. diameter N 40 W 26 lbs. dist. &
 a Do 15 " " " East 20 " "
 Land level State, timber Beech, Ark, Oak, Hickory
 & Wpr. Spruce

East on Randon between Sec. 24 & 25

40.00 set temp. g. sec. post
 82.12 Intersect E. Boundary 67 lbs. S. of post -
 Land level State, timber Beech, Ark, Oak &
 Wpr. Spruce

West Connected between Sec. 24 & 25

22.50 a Beech 12 in. dia.
 41.06 set g. sec. post at ann. dist. from which
 a Beech 16 in. diameter North 30 lbs. dist. &
 a Do 6 " " " S 80 W 18 " "
 63.00 a Do 16 " "
 82.12 to sec. cor.

North between Sec. 23 & 24

1.00 a Creek 20 lbs. wide course S W
 27.00 a Beech 9 in. dia.
 40.00 set g. sec. post from which

T. 14 N., R. 6 E., S. 2. Mer. Ind^a

a Beech 6 in. diameter East 3 lbs. dist. 8
 an Oak 16 " " " N 45° W 9 " "
 62.50 a Beech 14 " "
 80.00 set part cen. of sec. 13, 14, 23 & 24 from which
 a Hickory 6 in. diameter West 4 lbs. dist. 8
 a Beech 9 " " " S 40° E 25 " "
 Land level 2^d rate, timber Beech, Ash, Oak, Hickory
 &c. Upr. Spice

East on Random between Sec. 13 & 24

40.00 set temp. g. sec. part
 55.00 a Creek 20 lbs. wide course S W
 82.71 Intersect E. Boundary 123 lbs. S. of part -
 Land level 2^d rate, timber Beech, Ash, Oak &c.
 Upr. Spice November 1. 1819

West Cancelled between Sec. 13 & 24

24.00 a Beech 13 in. dia.
 41.35 set g. sec. part at aver. dist. from which
 a Beech 9 in. diameter South 20 lbs. dist. 8
 a Do 22 " " " North 30 " "
 65.00 a Do 15 " "
 82.71 to sec. cen.

North between Sec. 13 & 14

27.50 a Creek 20 lbs. wide course S E
 31.50 a Beech 8 in. dia.
 40.00 set g. sec. part from which
 a Beech 6 in. diameter South 4 lbs. dist. 8
 a Do 7 " " " N 15° E 32 " "
 55.00 a Do 7 " "
 80.00 set part cen. of sec. 11, 12, 13 & 14 from which
 a Beech 7 in. diameter N 50° E 13 lbs. dist. 8
 a Hickory 6 " " " N 75° W 30 " "

T. H. N., R. O. E. I. Mer. Ind. a

Land level Spruce, timber Beech, Ash, Sugar, Oak
 & Upr. Spruce

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

82.81 Intersect E. Boundary 176 lbs. S. of post -
 Land level Spruce, timber Beech, Ash, Oak &
 Upr. Spruce &

West Concited between Sec. 12 & 13

23.00 an Ash 10 in. dia.

41.40 set g. sec. post at aver. dist. from which
 an Elm 18 in. diameter N 15 E 15 lbs. dist. 8
 an Ash 7 " " " S 20 E 25 " "

62.00 a Beech 18 " "

82.81 to sec. cor.

North between Sec. 11 & 12

23.50 an Oak 60 in. dia.

40.00 set g. sec. post from which
 a Beech 10 in. diameter East 4 lbs. dist. 8
 a Spr 8 " " " West 20 " "

67.50 an Oak 50 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
 a Beech 15 in. diameter S 60 E 25 lbs. dist. 8
 a Spr 11 " " " N 70 W 12 " "
 Land level Spruce, timber Beech, Ash, Oak &
 Upr. Spruce

East on Random between Sec. 1 & 12

40.00 set temp. g. sec. post

82.83 Intersect E. Boundary 237 lbs. S. of post -
 Land level Spruce, timber Beech, Ash, Oak &
 Upr. Spruce

T.H.N., R.O.E., 2^d Mer. Ind.^a

West Connected between Sec. 1 & 12

21.00 a Sugar 8 in. dia.

44.41 set g. sec. post at over. dist. from which
 a Beech 6 in. diameter South 7 lbs. dist. 8
 an Elm 28 " " " N 20 W 20 " "

64.00 a Hickory 10 " "

82.83 to sec. cor.

North between Sec. 1 & 2

10.00 an Oak 50 in. dia.

40.00 set g. sec. post from which
 an Oak 36 in. diameter N 45 W 15 lbs. dist. 8
 a Beech 20 " " " South 14 " "

53.50 a Do 12 " "

82.85 Intersect N. Boundary 300 lbs. W. of post -
 set post at intersection cor. of sec. 1 & 2 from which
 a Sugar 8 in. diameter N 60 W 18 lbs. dist. 8
 a Beech 10 " " " S 65 E 13 " "
 Land level 2^d rate, timber Beech, Ash, Oak &
 Upr. Spice November 2, 1819

North between Sec. 34 & 35

31.00 a Beech 15 in. dia.

40.00 set g. sec. post from which
 an Ash 30 in. diameter North 20 lbs. dist. 8
 a Poplar 4 " " " West 10 " "

61.00 a Beech 22 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which
 a Beech 9 in. diameter S 80 E 15 lbs. dist. 8
 an Ash 5 " " " West 9 " "

Land level 2^d rate, timber Beech, Ash, Oak &
 Upr. Spice

East on Raudon between Sec. 26 & 35

T. H. N., R. C. E. 2. Mer. Ind.?

40.00 set temp. g. sec. post

81.10 Intersect N. & S. line 26 lbs. N. of post -
Land level 2. rate, timber Beech, Ash, Oak &
Wyr. Spice

West Connected between Sec. 26 & 35

27.00 a Beech 10 in. dia.

40.55 set g. sec. post at aver. dist. from which
an Oak 5 in. dia. bears N 15° W 12 lbs. dist. 3
an Ash 5 " " S 45° W 25 " "

66.00 a Hickory 14 " "

81.16 to sec. cor.

North between Sec. 26 & 27

23.00 a Beech 21 in. dia.

34.00 a Creek 20 lbs. wide course S W

40.00 set g. sec. post from which
a Poplar 36 in. dia. bears South 6 lbs. dist. 3
a Beech 7 " " N 45° W 7 " "

75.00 an Elm 36 " "

80.00 set post cor. of Sec. 22, 23, 26 & 27 from which
a Beech 7 in. dia. bears S 80° E 11 lbs. dist. 3
a Do 10 " " S 10° W 15 " "
Land level 2. rate, timber Beech, Ash, Oak, Hickory
& Wyr. Spice

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. post

80.00 a Creek 20 lbs. wide course S W

81.29 Intersect N. & S. line at post -
Land level 2. rate, timber Beech, Ash, Oak & Spice

West Connected between Sec. 23 & 26

25.00 a Beech 13 in. dia.

T. H. N., R. O. E. 2^d Mer. Ind.^a

40.64 set g. sec. post at aver. dist. from which
 a Beech 7 in. dia. bears N 80 E 8 1/2 Ms. dist. 8
 a Do 11 " " " S 30 W 30 " "
 63.00 a Do 16 " "
 81.29 to sec. cor.

North between Sec. 22 & 23

25.00 an Ash 36 in. dia.
 40.00 set g. sec. post from which
 a Beech 24 in. dia. bears West 15 Ms. dist. 8
 a Do 11 " " " East 50 " "
 60.00 a Creek 30 Ms. wide course S W
 63.00 an Elm 16 in. dia.
 80.00 set post cor. of Sec. 14, 15, 22 & 23 from which
 a Beech 18 in. dia. bears South 40 Ms. dist. 8
 a Do 16 " " " N 45 E 12 " "
 Land level 2^d rate, timber Beech, Ash, Sugar &
 Wyr. Spice &

East in Random between Sec. 14 & 23

31.00 a Creek 30 Ms. wide course S W
 40.00 set temp. g. sec. post
 81.19 Intersect N. E. line at post —
 Land level 2^d rate, timber Beech, Ash, Gumwood
 & Wyr. Spice November 3. 1869

West Enclosed between Sec. 14 & 23

19.00 an Ash 24 in. dia.
 40.59 set g. sec. post at aver. dist. from which
 a Beech 16 in. dia. bears N 45 E 13 Ms. dist. 8
 a Do 9 " " " West 12 " "
 61.12 an Ash 20 " "
 81.19 to sec. cor.

T. H. N., R. C. E. 2^d Mer. Ind.^a

North between Sec. 14 & 15

15.00 an Oak 12 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. dia. bears N 45° W 70 yds. dist. &

a Do 7 " " " S 40° E 6 " "

60.50 a Poplar 24 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

an Ark 11 in. dia. bears S 45° W 5 yds. dist. &

a Beech 8 " " " S 75° E 16 " "

Land level 2^d rate, timber Beech, Ark, Oak,
Poplar & Upr. Spruce

East on Random between Sec. 11 & 14

39.00 a Creek 30 yds. wide runs S 7° W

40.00 set temp. g. sec. post

80.88 Intersect No. 6 line at post—

Land level 2^d rate, timber Beech, Ark, Oak &
Upr. Spruce

West Connected between Sec. 14 & 14

25.00 a Beech 14 in. dia.

40.44 set g. sec. post at aver. dist. from which

a Beech 13 in. dia. bears S 40° E 30 yds. dist. &

a Do 24 " " " N 60° E 14 " "

61.50 a Do 11 " "

80.88 to sec. cor.

North between Sec. 10 & 11

22.50 a Beech 11 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. dia. bears N 45° E 17 yds. dist. &

a Do 7 " " " S 30° W 25 " "

78.00 a Sugar 14 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

T. H. N., R. O. E. L. Mer. Ind. &

at Hickory 24 in. dia. bears West 8 lbs. dist. 8
 an Oak 22 " " South 25 " "
 Sand level 2 rate, timber Beech, Ash, Oak,
 Sugar & V. Upr. Spice

East on Brandon between Sec. 2 & 11

40.00 set temp. g. sec. post
 80.84 Intersect N. S. line at post—
 Sand level 2 rate, timber Beech, Ash, Oak,
 Hickory & V. Upr. Spice

West Cancelled between Sec. 2 & 11

24.00 an Ash 12 in. dia.
 46.42 set g. sec. post at aver. dist. from which
 an Ash 5 in. dia. bears N 45° W 2 lbs. dist. 8
 a Do 5 " " S 45° E 6 " "
 61.00 a Beech 14 " "
 80.84 to sec. cor.

North between Sec. 2 & 3

24.50 a Beech 11 in. dia.
 40.00 set g. sec. post from which
 an Ash 30 in. dia. bears S 30° W 25 lbs. dist. 8
 an Elm 24 " " S 45° E 18 " "
 60.20 a Beech 16 " "
 82.50 Intersect N. Boundary 311 lbs. W. of post—
 set post at intersection on g. sec. 2 & 3 from which
 an Oak 30 in. dia. bears West 5 lbs. dist. 8
 an Ash 7 " " S 20° E 15 " "
 Sand level 2 rate, timber Beech, Ash, Oak, Hick-
 ory & V. Upr. Spice November 5. 1819

North between Sec. 33 & 34

26.50 a Hickory 18 in. dia.

T. H. N., R. O. E. 2^d. Mec. Ind.^a

40.00 set g. sec. part from which
 a Beech — in. dis. bears South 50 lbs. dist. 8
 a Do — " " " West 12 " "
 48.00 a Creek 30 lbs. wide course S 9 W
 63.00 a Sugar 24 in. dis.
 80.00 set part cen. of sec. 27, 28, 33 & 34 from which
 a Beech 18 in. dis. bears S 20 E 10 lbs. dist. 8
 a Do — " " " North 15 " "
 Land level 2^d rate, timber Beech, Oak, Sugar,
 Poplar & Upr. Spruce.

East on Random between Sec. 27 & 34
 29.00 a Creek 30 lbs. wide course S 9 W
 40.00 set temp. g. sec. part
 81.50 Intersect N & S line 19 lbs. N. of part —
 Land level 2^d rate, timber Beech, Ash & Spruce

West Connected between Sec. 27 & 34
 24.00 a Beech 24 in. dis.
 40.75 set g. sec. part at aver. dist. from which
 a Beech 18 in. dis. bears N 30 W 13 lbs. dist. 8
 an Ash 24 " " " S 45 E 9 " "
 60.00 a Beech 12 " "
 81.50 to sec. cen.

North between Sec. 27 & 28
 17.00 a Beech 10 in. dis.
 40.00 set g. sec. part from which
 a Dogwood — in. dis. bears S 30 W 10 lbs. dist. 8
 a Sup. Beech 4 " " " N 70 E 12 " "
 55.00 a Beech 12 " "
 80.00 set part cen. of sec. 21, 22, 27 & 28 from which
 a Beech 6 in. dis. bears S 65 E 8 lbs. dist. 8
 a Do 18 " " " S 30 W 18 " "

Land level 2^o rate, timber Beech, Ash, Poplar
& Upr. Spice

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. port

42.00 a Creek 30 lbs. wide course W

81.39 Intersect N & S. line at port -

Land level 2^o rate, timber Beech, Ash, Sugar,
Oak & Upr. Spice

West Connected between Sec. 22 & 27

27.00 a Beech 12 in. dia.

40.04 1/2 set g. sec. port at aver. dist. from which

a Beech 16 in. diameter S 40 E 13 lbs. dist. 3

a Do 12 " " " W - 20 " " "

64.50 a Do 20 " "

81.39 to sec. cor.

North between Sec. 21 & 22

19.50 a Beech 16 in. dia.

40.00 set g. sec. port from which

a Beech 24 in. diameter West 20 lbs. dist. 3

a Do 12 " " " East 6 " "

60.25 a Do 20 " "

80.00 set port cor. of sec. 15, 16, 21 & 22 from which

a Beech 24 in. diameter East 10 lbs. dist. 3

a Do 12 " " " West 25 " "

Land level 2^o rate, timber Beech, Oak, Ash &
Upr. Spice

East on Random between Sec. 15 & 22

10.50 a Stream 15 lbs. wide course SE

40.00 set temp. g. sec. port

81.50 Intersect N & S. line at port -

T. H. N., R. C. E. I. Mer. Ind.

Land level I rate, timber Beech, Ash, Oak &
November 6. 1819

West Correlated between Sect. 15 & 22

23.00 a Beech 10 in. dia.

40.75 set g. sec. part at aver. dist. from which
a Beech 12 in. dia. bears N 45 E 11 lbs. dist. 8
a Logwood 5 " " " South 10 " "

62.50 a Beech 12 " "

81.50 to sec. cor.

North between Sect. 15 & 16

24.00 a Beech 20 in. dia.

40.00 set g. sec. part from which
a Beech 7 in. dia. bears S 45 W 14 lbs. dist. 8
a Do 14 " " " N 30 E 25 " "

66.50 an Ash 10 " "

80.00 set part cor. of sect. 9, 10, 15 & 16 from which
a Beech 7 in. dia. bears S 30 E 20 lbs. dist. 8
a Do 9 " " " N 45 W 22 " "

Land level I rate, timber Beech, Ash, Oak, Hickory
& Upr. Spruce

East on Random between Sect. 10 & 15

40.00 set temp. g. sec. part

65.00 a Stream 15 lbs. wide course S W

81.50 Intersect N. S. line at part -

Land level I rate, timber Beech, Ash, Hickory &
Upr. Spruce

West Correlated between Sect. 10 & 15

23.50 a Beech 14 in. dia.

40.75 set g. sec. part at aver. dist. from which
a Beech 6 in. dia. bears North 20 lbs. dist. 8

T. H. N., R. C. E. 2. Mer. Ind.

a Beech 4 in. dis. bears S 80 E 8 lbs. dist.
 67.00 an Ash 20 " "
 81.50 to sec. cor.

North between Sec. 9 & 10

22.00 a Beech 10 in. dis.
 40.00 set g. sec. post from which
 a Sugar 8 in. dis. bears N 45 W 5 lbs. dist. 8
 a Do 9 " " " East 23 " "
 59.00 a Hickory 16 " "
 80.00 set post cor. of sec. 3, 4, 9 & 10 from which
 a Beech 9 in. dis. bears N 60 E 11 lbs. dist. 8
 a Maple 24 " " " S 80 W 25 " "
 Land level 2. rate, timber Beech, Ash, Oak &
 Upr. Spice &

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post
 81.37 Intersect N. G. line 23 lbs. N. of post -
 Land level 2. rate, timber Beech, Ash, Oak &
 Upr. Spice

West Connected between Sec. 3 & 10

20.50 a Hickory 12 in. dis.
 40.68 set g. sec. post at aver. dist. from which
 a Beech 24 in. dis. bears N 45 E 15 lbs. dist. 8
 a Do 8 " " " S 30 E 25 " "
 65.00 a Hickory 14 " "
 81.37 to sec. cor.

North between Sec. 3 & 4

23.00 a Beech 11 in. dis.
 40.00 set g. sec. post from which
 an Oak 30 in. dis. bears N 30 E 16 lbs. dist. 8

T. H. N., R. C. E. I. Mer. Ind.^a

an Ark 12 in. dia. bears North 30 W. dist.

63.50 a Beech 12 " "

82.75 Intersect N. Boundary 3 1/2 W. of port -

set post at intersection cor. of sec. 3 & 4 from which
a Hickory 14 in. dia. bears N 45 E 10 W. dist. 8

a Beech 7 " " S 10 W 28 " "

Land level 2^d rate, timber Beech, Ark, Oak, Hickory
& Wyp. Spice November 7. 1819

North between Sec. 32 & 33

19.50 a Beech 16 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears N 55 E 10 W. dist. 8

an Ark 6 " " S 30 W 12 " "

54.50 a Do 16 " "

80.00 in Ark 24 " " stands for cor. of sec. 28, 29, 32 & 33 from
which an Ark 22 in. dia. bears S 45 W 12 W. dist. 8

a Do 12 " " S 60 E 15 " "

Land level 2^d rate, timber Beech, Ark, Oak &
Wyp. Spice

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. post

81.33 Intersect N. & S. line at post -

Land level 2^d rate, timber Beech, Ark, Oak &
Wyp. Spice

West Connected between Sec. 28 & 33

21.00 a Maple 30 in. dia.

40.00 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears S 60 E 30 W. dist. 8

a Do 14 " " N 55 E 35 " "

61.75 a Poplar 30 " "

81.33 to sec. cor.

T. H. N., R. O. E. I. Mer. Ind.^a

North between Sec. 28 & 29

25.00 a Beech 11 in. dia.

40.00 set of sec. port from which

a Hickory 16 in. diameter S 45 E 20 lbs. dist. 8

an Ash 24 " " " West 18 " "

64.00 a Beech 24 " "

80.00 set port cor. of sec. 20, 21, 28 & 29 from which

a Beech 9 in. diameter S 40 E 10 lbs. dist. 8

a Do 5 " " " S 45 W 13 " "

Land level 2nd rate, timber Beech, Ash, Oak &
Wyr. Spice

East on Random between Sec. 21 & 28

40.00 set temp. of sec. port

81.60 Interest N & S line at port—

Land level 2nd rate, timber Beech, Ash, Oak &
Wyr. Spice

West Connected between Sec. 21 & 28

21.00 an Oak 48 in. dia.

40.80 set of sec. port at aver. dist. of from which

a Beech 5 in. diameter S 10 W 12 lbs. dist. 8

an Ironw. 3 " " " N 60 E 7 " "

60.00 an Oak 50 " "

81.60 to sec. cor.

North between Sec. 20 & 21

24.00 an Oak 24 in. dia.

40.00 set of sec. port from which

a Beech 4 in. diameter N 20 E 10 lbs. dist. 8

a Do 9 " " " West 15 " "

70.50 an Oak 44 " "

80.00 set port cor. of sec. 16, 17, 20 & 21 from which

a Beech 10 in. diameter N 45 W 12 lbs. dist. 8

T. H. N., R. C. E. 2^d Mer. Ind.^a

a Beech 9 in. diameter S 45 E 10 lbs. dirt.
 Sand level 2^d rate, timber Beech, Ash, Oak &
 Upr. Spice

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. port

81.25 Intersect N. S. line at port -

Sand level 2^d rate, timber Beech, Ash, Oak &
 Upr. Spice November 8. 1819

West Connected between Sec. 16 & 21

21.00 an Elm 24 in. dia.

40.02 set g. sec. port at aver. dirt from which
 a Beech 20 in. diameter N 30 E 8 lbs. dirt &
 umbrino. 3 " " S 35 W 5 " "

62.00 a Beech 16 " "

81.25 to sec. cor.

North between Sec. 16 & 17

19.25 a Hickory 24 in. dia.

40.00 set g. sec. port from which

an Oak 14 in. diameter N 40 W 14 lbs. dirt &

a Beech 4 " " South 12 " "

70.00 a Do 11 " "

80.00 set port cor. of sec. 8, 9, 16 & 17 from which

a Beech 20 in. diameter N 45 W 12 lbs. dirt &

a Do 12 " " S 45 E 20 " "

Sand level 2^d rate, timber Beech, Ash, Oak &
 Upr. Spice

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. port

81.00 Intersect N. S. line 46 lbs. S. of port -

Sand level 2^d rate, timber Beech, Ash, Oak &

T. H. N., R. O. O. L. Mer. Ind. a

Upr. Spice

West Connected between Sec. 9 & 16

20.25 a Beech 9 in. dia.

40.50 set g. sec. post at aver. dist. from which
an Elm 24 in. dia. bears East 12 Ms. dist. 8
a Hickory 9 " " " N 30 W 14 " "

61.00 a Beech 10 " "

81.00 to sec. cor.

North between Sec. 8 & 9

18.00 a Beech 10 in. dia.

40.00 set g. sec. post from which
a Beech 24 in. dia. bears East 4 Ms. dist. 8
a Do 12 " " " S 35 W 10 " "

63.00 a Do 16 " "

80.00 set post cor. of Sec. 4, 5, 8 & 9 from which
a Beech 15 in. dia. bears N 5 E 11 Ms. dist. 8
a Poplar 22 " " " West 10 " "
Land level 2^d rate, timber Beech, Ash, Oak,
Poplar & Upr. Spice

East on Random between Sec. 4 & 9

40.00 set temp. g. sec. post

80.84 Intersect N. S. line 67 Ms. S. of post—

Land level 2^d rate, timber Beech, Ash, Oak &
Upr. Spice

West Connected between Sec. 4 & 9

20.00 an Ash 10 in. dia.

40.42 set g. sec. post at aver. dist. from which
a Beech 12 in. dia. bears North 25 Ms. dist. 8
a Do 6 " " " S 45 E 6 " "

55.00 an Oak 60 " "

T 14 N., R. 6 E. L. Mer. Ind.?

80.84 to sec. cor.

North between Sec. 4 & 5

17.25 a Poplar 48 in. dia.

40.00 set g. sec. post from which

a Beech 14 in. dia. bears South 20 lbs. dist. 8

a Sugar 8 " " " N 10 W 25 " "

63.00 a Stream 100 lbs. wide course S W.

63.85 a Beech 14 in. dia.

84.40 Intersect N. Boundary 450 lbs. W. of post -

set post at intersection cor. of sec. 4 & 5 from which

a Beech 7 in. dia. bears N 60 E 25 lbs. dist. 8

an Iron 3 " " " S 50 W 16 " "

Land level 2 rate, timber Beech, Ash, Oak, Poplar &

Uly. Spice. November 9. 1819

North between Sec. 31 & 32

29.00 a Hickory 14 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears N E 7 lbs. dist. 8

an Oak 8 " " " N 20 W 15 " "

68.00 an Ash 30 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

an Oak 6 in. dia. bears West 20 lbs. dist. 8

a Beech 7 " " " S 50 E 10 " "

Land level 2 rate, timber Beech, Oak, Sugar &

Uly. Spice &

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

81.39 Intersect N. line 44 lbs. N. of post -

Land level 2 rate, timber Beech, Ash, Sugar, Oak &

Uly. Spice &

T.H.N., R. Co. Lumber. Ind. a

West Connected between Secs. 29 & 32

22.00 an Oak 50 in. dia.

40.64 1/2 set g. sec. post at aver. dist. from which
 a Beech 12 in. dia. bears S E 9 lbs. dist. 3
 an Ash 10 " " " N 20° W 30 " "

61.00 a Beech 16 " "

81.39 to sec. cor.

North between Secs. 29 & 30

20.00 a Beech 11 in. dia.

40.00 set g. sec. post from which
 a Beech 6 in. dia. bears South 12 lbs. dist. 3
 a Do 20 " " " East 7 " "

68.00 a Hickory 12 " "

80.00 set post cor. of secs. 19, 20, 29 & 30 from which
 a Beech 8 in. dia. bears S E 13 lbs. dist. 3
 a Do 9 " " " West 22 " "

Land level 3 rats, timber Beech, Ash & Upr. Spice &c.

East on Random between Secs. 20 & 29

40.00 set temp. g. sec. post

81.44 Intersect N.E. line at post -

Land level 3 rats, timber Beech, Ash, Oak &
 Upr. Spice &c.

West Connected between Secs. 20 & 29

20.50 a Beech 18 in. dia.

40.72 set g. sec. post at aver. dist. from which
 an Elm 24 in. dia. bears North 12 lbs. dist. 3
 a Beech 8 " " " S E 13 " "

67.00 a Do 12 " "

81.44 to sec. cor.

North between Secs. 19 & 20

T. H. N., R. C. E. I. Mer. Ind.?

21.00 an Oak 50 in. dia.

40.00 set g. sec. port from which
a Beech 11 in. diameter West 20 Ms. dist. 3
a Hickory 9 " " " N 80 E 18 " "

53.50 an Oak 46 " "

80.00 set port cor. of sec. 17, 18, 19 & 20 from which
a Beech 16 in. diameter S W 23 Ms. dist. 3
an Ash 8 " " " S 80 E 20 " "

Land level 2 rate, timber Beech, Ash, Oak, Sugar
& Ulp. Spice &c.

East on Random between Sec. 17 & 20

40.00 set temp. g. sec. port

81.17 Entered N. Shire at port.

Land level 2 rate, timber Beech, Sugar, Ash, Oak
& Ulp. Spice &c.

West Connected between Sec. 17 & 20

21.50 a Beech 12 in. dia.

40.58 set g. sec. port at aver. dist. from which
a Beech 24 in. diameter N 75 W 9 Ms. dist. 3
a Do 10 " " " S 75 E 15 " "

61.00 a Do 18 " "

81.17 to sec. cor. November 10, 1819

North between Sec. 17 & 18

23.50 an Ash 16 in. dia.

40.00 set g. sec. port from which
a Beech 12 in. diameter S E 5 Ms. dist. 3
a Do 9 " " " S 85 W 25 " "

61.00 a Hickory 16 " "

80.00 set port cor. of sec. 17, 18 & 19 from which
an Oak 40 in. diameter S E 3 Ms. dist. 3
an Ash 5 " " " N 30 W 30 " "

T.H.N., R. O. E. 2^d. Mer. Ind^a.

Land level 2^d rate, timber Beech, Ash, Oak, Sugar Y.
Uly. Spice Y.

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. post

81.30 Intersect N & S line at post -

Land level 2^d rate, timber Beech, Ash, Oak Y.
Uly. Spice Y.

West Connected between Sec. 8 & 17

21.00 an Ash 11 in. dia.

40.65 set g. sec. post at aver. dist. from which
a Beech 11 in. dia. bears S 80° W 13 lbs. dist. 8
a Do 10 " " " North 13 " "

60.00 an Oak 30 " "

81.30 to sec. cor.

North between Sec. 7 & 8

29.00 a Beech 16 in. dia.

40.00 a Beech 9 in. dia. stands for g. sec. cor. from which
an Elm 16 in. dia. bears S 60° E 25 lbs. dist. 8
an Ash 12 " " " N 20° E 22 " "

55.00 a Stream 50 lbs. wide course S W

68.50 a Beech 12 in. dia.

80.00 set post cor. feet. 5, 6, 7 & 8 from which
a Beech 7 in. dia. bears N 50° W 30 lbs. dist. 8
a Do 3 " " " N 8° E 16 " "

Land level 2^d rate, timber Beech, Ash, Oak Y.
Uly. Spice Y.

East on Random between Sec. 5 & 8

15.00 a Stream 50 lbs. wide course S W

40.00 set temp. g. sec. post

81.50 Intersect N & S line at post -

T.H.N., R.O.E. 2^d Mer. Ind.^a

Land level Prato, timber Beech, Ash, Oak, Sugar &
Uly. Spice &

West connected between Sec. 5 & 8

19.50 a Beech 16 in. dia.

40.75 Set g. sec. post at aver. dist. from which
an Elm 14 in. dia. bears North 5 hrs. dist. &
a Beech 16 " " " S 10 W 25 " "

61.50 an Oak 60 " "

81.50 Sec. cor.

North between Sec. 5 & 6

32.00 an Ash 18 in. dia.

40.00 Set g. sec. post from which
a Beech 11 in. dia. bears South 18 hrs. dist. &
an Ironwood 4 " " " N W 8 " "

75.00 an Ash 48 " "

86.20 Intersect N. Boundary 82 hrs. W. of post -
set post at intersection cor. of sec. 5 & 6 from which
a Beech 8 in. dia. bears West 6 hrs. dist. &
a Do 10 " " " N 85 E 20 " "

Land level Prato, timber Beech, Ash, Sycamore,
Elm & Uly. Spice November 11. 1819

West between Sec. 30 & 31

31.50 a Beech 12 in. dia.

40.00 Set g. sec. post from which
a Beech 9 in. dia. bears S 50 E 12 hrs. dist. &
an Ash 24 " " " North 14 " "

57.00 a Beech 11 " "

79.60 Intersect W. Boundary 86 hrs. E. of post -
set post at intersection cor. of sec. 30 & 31 from which
a Beech 8 in. dia. bears South 25 hrs. dist. &
a Do 10 " " " N W 20 " "

T. H. N., R. O. E. I. Mer. Ind.^a

Land level 2nd rate, timber Beech, Ash, Oak,
Sugar & Upr. Spice &c

West between Sec. 19 & 30

16.00 an Ash 16 in. dia.

40.00 Set of sec. port from which
an Elm 2 in. dia. bears N 20 W 2 lbs. dist. 8
a B. Walnut 2 " " " South 8 " "

54.00 a Poplar 16 " "

77.13 Intersect W. Boundary 119 lbs. S. of port -
Set port at intersection cor. of sec. 19 & 30 from which
a Beech 14 in. dia. bears North 6 lbs. dist. 8
a Do 5 " " " S 60 E 25 " "
(Description of land omitted)

West between Sec. 18 & 19

24.00 an Ash 24 in. dia.

40.00 Set of sec. port from which
a Beech 12 in. dia. bears S 20 E 8 lbs. dist. 8
a Do 6 " " " N 30 W 22 " "

64.00 a Do 11 " "

77.00 Intersect W. Boundary 200 lbs. S. of port -
Set port at intersection cor. of sec. 18 & 19 from which
a Beech 7 in. dia. bears S 30 W 5 lbs. dist. 8
a Do 11 " " " N E 25 " "
Land level 2nd rate, timber Beech, Ash, Oak,
Sugar & Upr. Spice November 12. 1819

West between Sec. 7 & 18

30.00 a Beech 14 in. dia.

40.00 Set of sec. port from which
a Buckeye 9 in. dia. bears West 12 lbs. dist. 17
an Oak 24 " " " N 40 E 30 " "

52.00 a Sugar 12 " "

T. 14 N., R. 6 E. 2^d Mer. Ind^a

65.50 a Stream 100 lbs. wide course S

76.19 Intersect W. Boundary 324 lbs. S. of port -
 set post at intersection cor. of sec. 7 & 18 from which
 an Ash 2 in. diameter South 10 lbs. dist. 18
 a Poplar 4 " " " N 80 E 9 " "
 Land level 2^d rate, timber Beech, Oak, Ash,
 Sugar & Upr. Spice &

West between Sec. 6 & 7

14.50 a Stream 100 lbs. wide course SE

31.50 an Ash 14 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 40 W 7 lbs. dist. 18

a Do 7 " " " S 20 E 6 " "

66.50 an Oak 24 " "

76.00 Intersect W. Boundary 350 lbs. S. of port -

set post at intersection cor. of sec. 6 & 7 from which

a Beech 6 in. dia. bears South 5 lbs. dist. 18

an Ash 8 " " " N 20 E 35 " "

Land level 2^d rate, timber Beech, Ash, Oak

Sugar & Upr. Spice & October 13. 1819

A. Wallace

Dep. Surveyor

I certify that the foregoing transcript of
Field notes of the survey of Township N. 14
North in Range N. 6 East of the 2. Principal
Meridian, in the State of Indiana, has been
compared with the original on file in this office,
and found to be correct.

Surveyor General's Office,
Cincinnati, May 7. 1842

E. S. Cairnes
Sur. Genl.